



**NIPPON
PAINT**

HI-PON 90-01
EPOXY GLASS FLAKE HB 95

Hi-Pon 90-01

Epoxy Glass Flake HB 95

is a low-VOC, high-solids, high-build two-pack epoxy coating, reinforced with glass flakes.

Features

This coating features good abrasion resistance.

Benefits

It provides good protection against corrosion and abrasion.

Applications

Hi-Pon 90-01 Epoxy Glass Flake HB 95 is ideal for steel subjected to severe atmospheric or mechanical exposure. It is also suitable for seawater immersion.

General Properties

Colour	: Off-White & Grey
Gloss Level	: Gloss
Volume Solids, %	: 95 ± 3 %
Specific Gravity	: 1.37 ± 0.05 kg/L (Mixed)
Flash Point	: Base: 13.3°C Hardener: 23°C Mix: 13.3°C
VOC	: 42 g/L (EPA Method 24)
Typical Thickness	: 300 - 625 µm dry film : 316 - 658 µm wet film

Notes:

All representations and statements concerning the product(s) in this brochure are accurate to the best of our knowledge, at the time of publication. Statements made in this brochure are advisory only and are not intended to be specific recommendations or warranties of any product, combination of products or fitness for any particular purpose, to the extent permitted by law, we do not accept any liability to any person for any loss or damage (direct or indirect) that may arise from any use of or reliance on any of the methods or information contained in this brochure for any purpose. Unless otherwise agreed in writing, all products supplied and technical advice or recommendations given are subject to the Conditions of Sale of our company. Any warranties, if given, are contained in those standard Conditions of Sale and are the only ones made with respect to any products we sell to you or advice or recommendations we give to you. For each of our products the relevant product Data Sheet, Material Safety Data Sheet and package labelling comprise an integral information system about the product in question. Copies of our product Data Sheets and Material Safety Data Sheets are available on request or from our website: www.nipponpaint.com.sg/trade